

12. Hannon J: Comparative adaptability of young men and women. In Folinsbee L, Wagner J, Borgia J, Drinkwater B, Gliner J, Bedi J (Eds): Environmental Stress: Individual Human Adaptation. New York, NY, Academic Press, 1978, pp 335-350
13. Regensteiner JG, Woodard WD, Hagerman DD, et al: Combined effects of female hormones and metabolic rate on ventilatory drives in women. *J Appl Physiol* 1989; 66:808-813
14. Block AJ, Boysen PG, Wynne JW, Hunt LA: Sleep apnea, hypopnea and oxygen desaturation in normal subjects—A strong male predominance. *N Engl J Med* 1979; 300:513-517
15. Matsuzawa Y, Fujimoto K, Kobayashi T, et al: Blunted hypoxic ventilatory drive in subjects susceptible to high-altitude pulmonary edema. *J Appl Physiol* 1989; 66:1152-1157
16. Mackowiak PA, Wasserman SS, Levine MM: A critical appraisal of 98.6°F as the upper limit of the normal body temperature, and other legacies of Carl Reinhold August Wunderlich. *JAMA* 1992; 268:1578-1580
17. Maggiorini M, Bärtsch P, Oelz O, et al: Elevated body temperature in severe mountain sickness (AMS) (Abstr). In Sutton J, Coates G, Houston C (Eds): Hypoxia and Mountain Medicine. Burlington, VT, Queen City Printers, 1992, p 311
18. Reeves J, Moore L, Wolfel E, et al: Activation of the sympatho-adrenal system at high altitude. In Veda G, Reeves J, Sekiguchi M (Eds): High Altitude Medicine. Matsumoto, Japan, Shinshu University Press, 1992, pp 10-23
19. Wolfel EE, Selland MA, Mazzeo RS, Reeves JT: Systemic hypertension at 4,300 m is related to sympathetic activity. *J Appl Physiol* 1994; 76:1643-1650
20. Kobayashi T, Koyama S, Kubo K, Fukushima M, Kusama S: Clinical features of patients with high-altitude pulmonary edema in Japan. *Chest* 1987; 92:814-821
21. Menon N: High-altitude pulmonary edema—A clinical study. *N Engl J Med* 1965; 273:66-73
22. Vock P, Fretz C, Francioli M, Bärtsch P: High-altitude pulmonary edema: Findings at high-altitude chest radiography and physical examination. *Radiology* 1989; 170:661-666
23. Vock P, Brutsche MH, Nanzer A, Bärtsch P: Variable radiomorphologic data of high altitude pulmonary edema—Features from 60 patients. *Chest* 1991; 100:1306-1311
24. Marticorena E, Hultgren HN: Evaluation of therapeutic methods in high-altitude pulmonary edema. *Am J Cardiol* 1979; 43:307-312
25. Oelz O, Maggiorini M, Ritter M, et al: Nifedipine for high altitude pulmonary oedema. *Lancet* 1989; 2:1241-1244
26. Hackett PH, Roach RC, Hartig GS, Greene ER, Levine BD: The effect of vasodilators on pulmonary hemodynamics in high altitude pulmonary edema—A comparison. *Int J Sports Med* 1992; 13(suppl):S68-S70
27. Bärtsch P, Maggiorini M, Ritter M, Noti C, Vock P, Oelz O: Prevention of high altitude pulmonary edema by nifedipine. *N Engl J Med* 1991; 325:1284-1289
28. Hultgren HN: High-altitude pulmonary edema—Current concepts. *Annu Rev Med* 1996; in press

* * *

Gallium Scan

Child, you play different games;
 this one is white cell hide-and-seek,
 medical isotope tag.
 Worried parents whisper, "Hush, hold still,"
 and position your small body
 on the cold, long table,
 a reluctant loan to foreign gods.

Each morning for three days
 they keep appointments
 with our long table,
 with that scanning machine
 where your leukocyte stars sparkle
 on the overhead screen
 as we track gallium-tagged white cells
 to secret places
 in the temporary universe of your young body.

Yet in the end
 huddled radiologists
 name no new heavens.

STEPHANIE PERSHING BUEHLER, MT (ASCP)®
Big Horn, Wyoming